Author Index

Akabori, S., see Tamaki, M. 574(1992)65
Alberts, G., see Boomsma, F. 574(1992)109
Anderson, L., Cummings, J. and Smyth, J. F.
Rapid and selective isolation of radiolabelled inositol phosphates from cancer cells using solid-phase extraction 574(1992)150
Angelo, H. R., see Christensen, H. R. 574(1992)161
Annapoorani, K. S., see Ragupathi, G. 574(1992)267
Asquith, T. N., see Neubecker, T. A. 574(1992)340
Bailey, F. J., see Lehman, E. D. 574(1992)225
Barbhaiya, R. H., see Papp, E. A. 574(1992)93
Bast, A., see De Jong, J. 574(1992)273
Baud, F. J., see Houzé, P. 574(1992)305
Baurain, R., see Van Tellingen, O. 574(1992)293
Beijnen, J. H., see Van Tellingen, O. 574(1992)293
Bellotti, V., see Pianezzola, E. 574(1992)170
Benatar, M. F., see Houzé, P. 574(1992)305
Benoît, F., see Varin, F. 574(1992)57
Bloom, J. W.
Reversed-phase high-performance liquid chromatographic tryptic digest peptide map comparisons of monoclonal antibodies to human tumor necrosis factor 574(1992)219
Boomsma, F., Alberts, G., Van der Hoorn, F. A. J., Man in 't Veld, A. J. and Schalekamp, M. A. D. H.
Simultaneous determination of free catecholamines and epinine and estimation of total epinine and dopamine in plasma and urine by high-performance liquid chromatography with fluorimetric detection 574(1992)109
Bottaro, S., see Cracco, A. T. 574(1992)156
Brazier, M., see Kamel, S. 574(1992)255
Brownlee, M., see Steinberg, J. J. 574(1992)41
Burke, C. J., see Lehman, E. D. 574(1992)225
Cajigas, A., see Steinberg, J. J. 574(1992)41
Cann-Moisan, C., Caroff, J. and Girin, E.
Standardization in the determination of red blood cell polyamines by high-performance liquid chromatography 574(1992)134
Caroff, J., see Cann-Moisan, C. 574(1992)134
Carter, S. R., Duke, C. C., Cutler, D. J. and Holder, G. M.
Sensitive stereospecific assay of warfarin in plasma: reversed-phase high-performance liquid chromatographic separation using diastereoisomeric esters of (−)-(1*S*,2*R*,4*R*)-*endo*-1,4,5,6,7,7-hexachlorobicyclo[2.2.1]hept-5-ene-2-carboxylic acid 574(1992)77
Chandra Sekharan, P., see Ragupathi, G. 574(1992)267
Chen, Y., Potter, J. M. and Ravenscroft, P. J.
High-performance liquid chromatographic method for the simultaneous determination of monoethylglycinexylidide and lignocaine 574(1992)361
Chevanne, F., see Le Verge, R. 574(1992)283
Chiandetti, L., see Cracco, A. T. 574(1992)156
Christensen, H. R., Angelo, H. R. and Skajaa, K.
Determination of isradipine and its pyridine metabolite in serum by capillary column gas chromatography with nitrogen-selective detection 574(1992)161
Chu, S.-, see Gustavson, L. E. 574(1992)313
Cracco, A. T., Dall'Amico, R., Ferrari, V., Bottaro, S., Zacchello, G., Chiandetti, L. and Zacchello, F.
Determination of 8-methoxypsoralen in plasma by gas chromatography–mass spectrometry using selected-ion monitoring 574(1992)156
Cummings, J., see Anderson, L. 574(1992)150
Cutler, D. J., see Carter, S. R. 574(1992)77
Dall'Amico, R., see Cracco, A. T. 574(1992)156
Damani, L. A., see On, N. T. 574(1992)352
Damodaran, C., see Ragupathi, G. 574(1992)267
D'Aranno, V., Mancinelli, A. and Manzini, S.
Determination of the tricyclic compound adosupine and its three metabolites in plasma and brain of rat using high-performance liquid chromatography 574(1992)319
Deegan, R. J., see He, H. B. 574(1992)213
De Goede, P. N. F. C., see Van der Horst, A. 574(1992)166
De Jong, J., Munniksma, C. N., Guérand, W. S., Bast, A. and Van der Vijgh, W. J. F.
Fully automated determination of a new anthracycline N-*l*-leucyldoxorubicin and six metabolites in plasma by high-performance liquid chromatography with on-line sample handling 574(1992)273
Del Cont Bernard, A., Royer Morrot, M. J., Zhiri, A., Rambourg, M. and Royer, R. J.
Automated determination of disopyramide and N-monodealkyldisopyramide in plasma by reversed-phase liquid chromatography with a column switching system 574(1992)365
De Reynies, A., see Houzé, P. 574(1992)305
Desiderio, D. M., see Kusmierz, J. J. 574(1992)189
Desmet, G., see Kamel, S. 574(1992)255
Diez-Cascón, A., see Pruñonosa, J. 574(1992)127
Döe De Maindreville, M., see Le Verge, R. 574(1992)283
Domar, U., see Kirchberger, J. 574(1992)237
Driscoll, K. E., see Neubecker, T. A. 574(1992)340
Duke, C. C., see Carter, S. R. 574(1992)77
Eckelman, W. C., see Rosenspire, K. C. 574(1992)119
Eloranta, T. O., see Hyvönen, T. 574(1992)17
Fatmi, A. A., see Pullen, R. H. 574(1992)101
Fauler, J., see Tsikas, D. 574(1992)181
Feigl, E. O., see Herrmann, S. C. 574(1992)247
Ferrari, V., see Cracco, A. T. 574(1992)156
Feste, A. S.
Reversed-phase chromatography of phenylthiocarbamyl amino acid derivatives of physiological amino acids: an evaluation and a comparison with analysis by ion-exchange chromatography 574(1992)23
Frölich, J. C., see Tsikas, D. 574(1992)181
Games, D. E., see Scalia, S. 574(1992)197
Ghabrial, H., see Martin, G. 574(1992)205
Girin, E., see Cann-Moisan, C. 574(1992)134
Goto, J., Hasegawa, K., Nambara, T. and Iida, T.
Studies on steroids. CCLIV. Gas chromatographic–mass spectrometric determination of 4- and 6-hydroxylated bile acids in human urine with negative ion chemical ionization detection 574(1992)1
Gouesclou, L., see Pruñonosa, J. 574(1992)127
Guérand, W. S., see De Jong, J. 574(1992)273

Gustavson, L. E. and Chu, S.-
High-performance liquid chromatographic procedure for the determination of tiagabine concentrations in human plasma using electrochemical detection 574(1992)313
Han, S. S., see Lee, H. S. 574(1992)175
Hasegawa, K., see Goto, J. 574(1992)1
He, H. B., Deegan, R. J., Wood, M. and Wood, A. J. J.
Optimization of high-performance liquid chromatographic assay for catecholamines. Determination of optimal mobile phase composition and elimination of species-dependent differences in extraction recovery of 3,4-dihydroxybenzylamine 574(1992)213
Hecker, M., Kaw, S. and Walsh, D. T.
Determination of endothelin-converting enzyme activity by high-performance liquid chromatography–on-line radioactive flow monitoring 574(1992)344
Hedner, T., see Nyström, L. 574(1992)137
Hendry, I. R., see Kearns, G. L. 574(1992)356
Herault, J., see Jouve, J. 574(1992)9
Herrmann, S. C. and Feigl, E. O.
Subtraction method for the high-performance liquid chromatographic measurement of plasma adenosine 574(1992)247
Hirth, W., see Rosenspire, K. C. 574(1992)119
Holder, G. M., see Carter, S. R. 574(1992)77
Houzé, P., De Reynies, A., Baud, F. J., Benatar, M. F. and Pays, M.
Simultaneous determination of chloroquine and its three metabolites in human plasma, whole blood and urine by ion-pair high-performance liquid chromatography 574(1992)305
Hyvönen, T., Keinänen, T. A., Khomutov, A. R., Khomutov, R. M. and Eloranta, T. O.
Monitoring of the uptake and metabolism of aminooxy analogues of polyamines in cultured cells by high-performance liquid chromatography 574(1992)17
Iida, T., see Goto, J. 574(1992)1
Imanari, T., Toyoda, H., Yamanashi, S., Shinomiya, K., Koshiishi, I. and Oguma, T.
Study of the measurement of chondroitin sulphates in rabbit plasma and serum 574(1992)142
Irth, H., see Reinhoud, N. J. 574(1992)327
Jakobs, C., see Zee, T. 574(1992)335
Johnson, V. A., see Kearns, G. L. 574(1992)356
Jouve, J., Herault, J., Tournade, H. and Muh, J. P.
Determination by high-performance liquid chromatography with electrochemical detection of free and conjugated N-acetyldopamine excretion in urine of children with neuroblastoma and nephroblastoma 574(1992)9
Joyce, J. G., see Lehman, E. D. 574(1992)225
Jurisson, S., see Rosenspire, K. C. 574(1992)119
Kamel, S., Brazier, M., Desmet, G., Picard, C., Mennecier, I. and Sebert, Jl.
High-performance liquid chromatographic determination of 3-hydroxypyridinium derivatives as new markers of bone resorption 574(1992)255
Kaw, S., see Hecker, M. 574(1992)344
Kawase, M., see Ohmori, S. 574(1992)35
Kearns, G. L., Johnson, V. A., Hendry, I. R. and Wells, T. G.
Microanalytical high-performance liquid chromatographic assay for cefpirome in human milk and urine 574(1992)356
Keinänen, T. A., see Hyvönen, T. 574(1992)17
Khomutov, A. R., see Hyvönen, T. 574(1992)17
Khomutov, R. M., see Hyvönen, T. 574(1992)17
Kim, H. J., see Rozman, P. 574(1992)146
Kirchberger, J., Domar, U., Kopperschläger, G. and Stigbrand, T.
Interactions of human alkaline phosphatase isoenzymes with triazine dyes using affinity partitioning, affinity chromatography and difference spectroscopy 574(1992)237
Klaassen, C. D., see Rozman, P. 574(1992)146
Knupp, C. A., see Papp, E. A. 574(1992)93
Kopperschläger, G., see Kirchberger, J. 574(1992)237
Koshiishi, I., see Imanari, T. 574(1992)142
Kusmierz, J. J. and Desiderio, D. M.
Characterization of an aminopeptidase in cerebrospinal fluid. Structure elucidation of enzyme hydrolysis products of synthetic methionine-enkephalin by reversed-phase high-performance liquid chromatography and mass spectrometry 574(1992)189
La Croix, R., see Pianezzola, E. 574(1992)170
Le Corre, P., see Le Verge, R. 574(1992)283
Lee, H. S., Shin, H. C., Han, S. S. and Roh, J. K.
High-performance liquid chromatographic determination of rifapentine in serum using column switching 574(1992)175
Lehman, E. D., Schaefer, T. F., Przysiecki, C. T., Joyce, J. G., Bailey, F. J., Schulman, C. A., Burke, C. J., Ramjit, H. G. and Miller, W. J.
Large-scale purification and characterization of recombinant tick anticoagulant peptide 574(1992)225
Le Verge, R., Le Corre, P., Chevanne, F., Döe De Maindreville, M., Royer, D. and Levy, J.
Determination of yohimbine and its two hydroxylated metabolites in humans by high-performance liquid chromatography and mass spectral analysis 574(1992)283
Levy, J., see Le Verge, R. 574(1992)283
Liebich, H. M.
HPLC in clinical chemistry (by I. N. Papadoyannis) (Book Review) 574(1992)179
Máca, B., see Pospíšil, J. 574(1992)71
Madhu, C., see Rozman, P. 574(1992)146
Mancinelli, A., see D'Aranno, V. 574(1992)319
Man in 't Veld, A. J., see Boomsma, F. 574(1992)109
Manzini, S., see D'Aranno, V. 574(1992)319
Martens, H. J. M., see Van der Horst, A. 574(1992)166
Martin, G., Ghabrial, H., Morgan, D. J., Smallwood, R. A. and Sewell, R. B.
High-performance liquid chromatographic method to resolve and determine lipopolysaccharide sub-groups of *Escherichia coli* endotoxin in isolated perfused rat liver perfusate 574(1992)205
Mennecier, I., see Kamel, S. 574(1992)255
Miller, N. S., see Neubecker, T. A. 574(1992)340
Miller, W. J., see Lehman, E. D. 574(1992)225
Miyabara, Y., Tabata, M., Suzuki, J. and Suzuki, S.
Separation and sensitive determination of i-urobilin and l-stercobilin by high-performance liquid chromatography with fluorimetric detection 574(1992)261
Morgan, D. J., see Martin, G. 574(1992)205
Muh, J. P., see Jouve, J. 574(1992)9
Munniksma, C. N., see De Jong, J. 574(1992)273
Muramatsu, I., see Tamaki, M. 574(1992)65
Nakata, K., see Ohmori, S. 574(1992)35
Nambara, T., see Goto, J. 574(1992)1

Neubecker, T. A., Miller, N. S., Asquith, T. N. and Driscoll, K. E.
Measurement of histamine in rat bronchoalveolar lavage fluid by high-performance cation-exchange chromatography coupled with post-column derivatization to *o*-phthaldialdehyde 574(1992)340
Nishihara, K., see Ohmori, S. 574(1992)35
Nooyen, W. J., see Van Tellingen, O. 574(1992)293
Nowotnik, D. P., see Rosenspire, K. C. 574(1992)119
Nunn, A. D., see Rosenspire, K. C. 574(1992)119
Nyström, L., Salén, G. and Hedner, T.
Improved method for the determination of 5,6-dihydroxytryptamine and 5,7-dihydroxytryptamine in tissue using high-performance liquid chromatography with electrochemical detection 574(1992)137
Obach, R., see Pruñonosa, J. 574(1992)127
Oguma, T., see Imanari, T. 574(1992)142
Ohmori, S., Nakata, K., Nishihara, K., Yamamoto, S., Kawase, M. and Tsuboi, S.
Sensitive determination of cystathionine and assays for cystathionine β- and γ-lyase, as well as cystathionine β-synthase, using high-performance liquid chromatography 574(1992)35
On, N. T., Damani, L. A. and Rance, D. J.
Quantitation of 6-(pyridin-3-yl)quinolin-2(1H)-one, a cardiac stimulant, and its N-oxide metabolite in dog plasma by high-performance liquid chromatography 574(1992)352
Papp, E. A., Knupp, C. A. and Barbhaiya, R. H.
High-performance liquid chromatographic assays for the quantification of amikacin in human plasma and urine 574(1992)93
Patzelová, V., see Pospíšil, J. 574(1992)71
Pays, M., see Houzé, P. 574(1992)305
Perlík, F., see Pospíšil, J. 574(1992)71
Pianezzola, E., Bellotti, V., La Croix, R. and Strolin Benedetti, M.
Determination of cabergoline in plasma and urine by high-performance liquid chromatography with electrochemical detection 574(1992)170
Picard, C., see Kamel, S. 574(1992)255
Polman, C. H., see Van der Horst, A. 574(1992)166
Pospíšil, J., Patzelová, V., Perlík, F. and Máca, B.
Determination of ethyl biscoumacetate and its metabolite 7-hydroxyethyl biscoumacetate in human serum by high-performance liquid chromatography and mass spectrometry 574(1992)71
Potter, J. M., see Chen, Y. 574(1992)361
Prabhasankar, P., see Ragupathi, G. 574(1992)267
Pruñonosa, J., Obach, R., Diez-Cascón, A. and Gouesclou, L.
Determination of cicletanine enantiomers in plasma by high-performance capillary electrophoresis 574(1992)127
Przysiecki, C. T., see Lehman, E. D. 574(1992)225
Pullen, R. H. and Fatmi, A. A.
Determination of fluvoxamine in human plasma by high-performance liquid chromatography with fluorescence detection 574(1992)101
Ragupathi, G., Prabhasankar, P., Chandra Sekharan, P., Annapoorani, K. S. and Damodaran, C.
Novel solid-state fluorodensitometric method for the determination of haptens in protein–hapten conjugates. Demonstration with a toxic glycoside of *Cleistanthus collinus* 574(1992)267
Rambourg, M., see Del Cont Bernard, A. 574(1992)365
Ramjit, H. G., see Lehman, E. D. 574(1992)225
Rance, D. J., see On, N. T. 574(1992)352
Ravenscroft, P. J., see Chen, Y. 574(1992)361
Reinhoud, N. J., Tjaden, U. R., Irth, H. and Van der Greef, J.
Bioanalysis of some anthracyclines in human plasma by capillary electrophoresis with laser-induced fluorescence detection 574(1992)327
Roh, J. K., see Lee, H. S. 574(1992)175
Rosenspire, K. C., Hirth, W., Jurisson, S., Nowotnik, D. P., Eckelman, W. C. and Nunn, A. D.
Direct analysis of whole blood by internal surface reversed-phase chromatography: an examination of the binding and metabolism of technetium dioxime complexes 574(1992)119
Royer, D., see Le Verge, R. 574(1992)283
Royer, R. J., see Del Cont Bernard, A. 574(1992)365
Royer Morrot, M. J., see Del Cont Bernard, A. 574(1992)365
Rozman, P., Kim, H. J., Madhu, C. and Klaassen, C. D.
Tissue sulfate determination by ion chromatography 574(1992)146
Salén, G., see Nyström, L. 574(1992)137
Scalia, S. and Games, D. E.
Analysis of conjugated bile acids by packed-column supercritical fluid chromatography 574(1992)197
Schaefer, T. F., see Lehman, E. D. 574(1992)225
Schalekamp, M. A. D. H., see Boomsma, F. 574(1992)109
Schulman, C. A., see Lehman, E. D. 574(1992)225
Sebert, Jl., see Kamel, S. 574(1992) 255
Sewell, R. B., see Martin, G. 574(1992)205
Shephard, G. S., Thiel, P. G. and Sydenham, E. W.
Determination of fumonisin B_1 in plasma and urine by high-performance liquid chromatography 574(1992)299
Shibukawa, A. and Wainer, I. W.
Simultaneous direct determination of the enantiomers of verapamil and norverapamil in plasma using a derivatized amylose high-performance liquid chromatographic chiral stationary phase 574(1992)85
Shin, H. C., see Lee, H. S. 574(1992)175
Shinomiya, K., see Imanari, T. 574(1992)142
Skajaa, K., see Christensen, H. R. 574(1992)161
Smallwood, R. A., see Martin, G. 574(1992)205
Smyth, J. F., see Anderson, L. 574(1992)150Steinberg, J. J., Cajigas, A. and Brownlee, M.
Enzymatic shot-gun 5′-phosphorylation and 3′-sister phosphate exchange: a two-dimensional thin-layer chromatographic technique to measure DNA deoxynucleotide modification 574(1992)41
Stellaard, F., see Zee, T. 574(1992)335
Stigbrand, T., see Kirchberger, J. 574(1992)237
Strolin Benedetti, M., see Pianezzola, E. 574(1992)170
Suzuki, J., see Miyabara, Y. 574(1992)261
Suzuki, S., see Miyabara, Y. 574(1992)261
Sydenham, E. W., see Shephard, G. S. 574(1992)299
Tabata, M., see Miyabara, Y. 574(1992)261
Tamaki, M., Akabori, S. and Muramatsu, I.
Studies on cyclic peptides related to gratisin by reversed-phase high-performance liquid chromatography 574(1992)65
Ten Bokkel Huinink, W. W., see Van Tellingen, O. 574(1992)293
Théorêt, Y., see Varin, F. 574(1992)57
Thiel, P. G., see Shephard, G. S. 574(1992)299
Tjaden, U. R., see Reinhoud, N. J. 574(1992)327
Tournade, H., see Jouve, J. 574(1992)9
Toyoda, H., see Imanari, T. 574(1992)142

Tsikas, D., Fauler, J. and Frölich, J. C.
Enzymic preparation of dioxygen-18 labelled leukotriene E_4 and its use in quantitative gas chromatography–mass spectrometry 574(1992)181
Tsuboi, S., see Ohmori, S. 574(1992)35
Tu, T. M., see Varin, F. 574(1992)57
Van der Greef, J., see Reinhoud, N. J. 574(1992)327
Van der Hoorn, F. A. J., see Boomsma, F. 574(1992)109
Van der Horst, A., De Goede, P. N. F. C., Van Diemen, H. A. M., Polman, C. H. and Martens, H. J. M.
Determination of 4-aminopyridine in serum by solid-phase extraction and high-performance liquid chromatography 574(1992)166
Van der Vijgh, W. J. F., see De Jong, J. 574(1992)273
Van der Woude, H. R., see Van Tellingen, O. 574(1992)293
Van Diemen, H. A. M., see Van der Horst, A. 574(1992)166
Van Tellingen, O., Beijnen, J. H., Baurain, R., Ten Bokkel Huinink, W. W., Van der Woude, H. R. and Nooyen, W. J.
Biodetermination of N-(deacetyl-O-4-vinblastoyl-23)-L-tryptophan, a metabolite of vintriptol, by high-performance liquid chromatography with fluorescence detection 574(1992)293
Varin, F., Tu, T. M., Benoît, F., Villeneuve, J.-P. and Théorêt, Y.
High-performance liquid chromatographic determination of spironolactone and its metabolites in human biological fluids after solid-phase extraction 574(1992)57
Villeneuve, J.-P., see Varin, F. 574(1992)57
Wainer, I. W., see Shibukawa, A. 574(1992)85
Walsh, D. T., see Hecker, M. 574(1992)344
Weber, L.
Gas chromatographic determination of urinary phenol conjugates after acid hydrolysis/extractive acetylation 574(1992)349
Wells, T. G., see Kearns, G. L. 574(1992)356
Wood, A. J. J., see He, H. B. 574(1992)213
Wood, M., see He, H. B. 574(1992)213
Yamamoto, S., see Ohmori, S. 574(1992)35
Yamanashi, S., see Imanari, T. 574(1992)142
Zacchello, F., see Cracco, A. T. 574(1992)156
Zacchello, G., see Cracco, A. T. 574(1992)156
Zee, T., Stellaard, F. and Jakobs, C.
Analysis of pipecolic acid in biological fluids using capillary gas chromatography with electron-capture detection and [$^2H_{11}$]pipecolic acid as internal standard 574(1992)335
Zhiri, A., see Del Cont Bernard, A. 574(1992)365